


IFW



03P06009

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT APPLICATION

In re Application of)	Group Art Unit:
Hans-Joachim Schmidt et al)	Examiner:
Serial No.: 10/825,167)	Paper No.
Filed: 04-16-2004)	
For: Infrared Radiator and Irradiation Apparatus		

CERTIFICATE OF MAILING 37 CFR 1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to Commissioner of Patents, P.O. Box 1450, Arlington, VA 22313-1450 on the date: March 24, 2005
signed: William E. Meyer

Commissioner For Patents
P.O. Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Dear Sir:

Applicants submit herewith patents, publications or other information, of which they are aware that may be material to the examination of this application, and in respect of which there may be a duty to disclose.

Legible copies of all items listed in PTO-1449 accompany this Information.

Respectfully Submitted,

By: William E. Meyer

William E. Meyer
Reg. No. 30,719
Attorney for Applicants

OSRAM SYLVANIA, INC.
100 ENDICOTT STREET
DANVERS, MA 01923
(978) 750-2384

PTO/SB/08A (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
to a collection of information unless it contains a valid OMB control number.


Substitute for form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Complete if Known

Application Number	10/825,167
Filing Date	04-16-2004
First Named Inventor	Hans-Joachim Schmidt
Art Unit	
Examiner Name	
Attorney Docket Number	03P06009



PTO/SB/08B (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Form 1449/PTO

Complete if Known**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

Application Number

10/825,167

Filing Date

04-16-2004

First Named Inventor

Hans-Joachim Schmidt

Art Unit**Examiner Name**

Sheet

of

Attorney Docket Number

03P06009

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
		H.KOSTLIN Optical filters on linear halogen-lamps prepared by dip-coating; J. Non-Crystalline Solids 218(1997) p. 347-353	

**Examiner
Signature****Date
Considered**

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.